

SAFETY DATA SHEET
According to OSHA Hazcom Standard 29 CFR 1910.1200
Chlorine 99.999 %

Date of issue: 2022-08-30

Revision date: 2020-01-16

Version: 3.0

1. IDENTIFICATION

A. Product name

- Chlorine 99.999 %

B. Recommended use and restriction on use

- General use : Not available
- Restriction on use : Not available

C. Manufacturer / Supplier / Distributor information

○ **Manufacturer information**

- Company name : RIGAS Co.,Ltd
- Address : 46,Munpyeongseo-ro 17 beon-gil, Daedeok-gu,Daejeon, KOREA
- Emergency telephone number : 82-42-934-6900

○ **Supplier/Distributor information**

- Company name : RIGAS Co.,Ltd
- Address : 46,Munpyeongseo-ro 17 beon-gil, Daedeok-gu,Daejeon, KOREA
- Emergency telephone number : 82-42-934-6900

2. HAZARD IDENTIFICATION

A. GHS Classification

- Oxidizing gases : Category1
- Gases under pressure : Liquefied gas
- Acute toxicity (inhalation: gas) : Category2
- Skin corrosion/irritation : Category1
- Serious eye damage/irritation : Category1
- Specific target organ toxicity(Single exposure) : Category1
- Specific target organ toxicity(Repeated exposure) : Category2
- Acute aquatic toxicity : Category1
- Chronic aquatic toxicity : Category1

B. GHS label elements

○ **Hazard symbols**



○ **Signal words**

- Danger

○ **Hazard statements**

- H270 May cause or intensify fire; oxidizer
- H280 Compressed gas ; Contains gas under pressure; may explode if heated
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H370 Causes damage to organs(Refer Section SDS 11)
- H373 May cause damage to organs through prolonged or repeated exposure (Refer Section SDS 11)
- H400 Very toxic to aquatic life

- H410 Very toxic to aquatic life with long lasting effects

○ **Precautionary statements**

1) Prevention

- P220 Keep/Store away from clothing//combustible materials.
- P244 Keep reduction valves free from grease and oil.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P284 In case of inadequate ventilation wear respiratory protection.

2) Response

- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P311 If exposed: Call a POISON CENTER or doctor/physician.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P314 Get medical advice/attention if you feel unwell.
- P320 Specific treatment is urgent
- P321 Specific treatment
- P363 Wash contaminated clothing before reuse.
- P370+P376 In case of fire: Stop leak if safe to do so.
- P391 Collect spillage.

3) Storage

- P403 Store in a well-ventilated place.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P410+P403 Protect from sunlight. Store in a well-ventilated place.

4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

C. Other hazards which do not result in classification

- Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
Chlorine	Chlore ; Chlorine molecule (Cl ₂) ; Chlorine mol. ; Diatomic chlorine ; Dichlorine ;	7782-50-5	99.999

4. FIRST AID MEASURES

A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.
- Remove contact lenses if worn.

B. Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.
- Accidental contact with liquefied gas or refrigerated liquefied gas may cause burn, severe mayhem and perfrigeration, so please take emergency medical action.
- Get medical attention immediately.
- In case of accidental contact with liquefied gas or refrigerated liquefied gas, warm up the contact part with lukewarm water.
- Wash thoroughly after handling.

C. Inhalation contact

- Take specific treatment if needed.
- When exposed to large amounts of steam and mist, move to fresh air.
- Get medical attention immediately.
- Go to the hospital immediately if symptoms (flare, irritate) occur.
- If breathing is stopped or irregular, give artificial respiration and supply oxygen.

D. Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

5. FIREFIGHTING MEASURES**A. Suitable (Unsuitable) extinguishing media**

- Avoid use of water jet for extinguishing
- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray

B. Specific hazards arising from the chemical

- Causes damage to organs (Refer Section SDS 11)
- Causes serious eye damage
- Causes severe skin burns and eye damage
- Compressed gas ; Contains gas under pressure; may explode if heated
- Fatal if inhaled

C. Special protective actions for firefighters

- Avoid inhalation of materials or combustion by-products.
- Cool containers with water until well after fire is out.
- Do not approach the tank surrounded by fire until it is extinguished.
- In case of conflagration, use automatic fire sprinkler. Major fire may require withdrawal, allowing the object itself to burn.
- Keep unauthorized personnel out.

6. ACCIDENTAL RELEASE MEASURES**A. Personal precautions, protective equipment and emergency procedures**

- Do not touch spilled material. Stop leak if you can do it without risk.
- Handle the damaged containers or spilled material after wearing appropriate protective equipment
- Move container to safe area from the leak area.
- Must work against the wind, let the upwind people to evacuate.
- Remove all sources of ignition.

B. Environmental precautions

- If large amounts have been spilled, inform the relevant authorities.
- Prevent runoff and contact with waterways, drains or sewers.

C. Methods and materials for containment and cleaning up

- Appropriate container for disposal of spilled material collected.
- Disposal of waste shall be in compliance with the Wastes Control Act
- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notify the central and local government if the emission reach the standard threshold.

7. HANDLING AND STORAGE**A. Precautions for safe handling**

- Avoid contact with incompatible materials.

- Avoid direct physical contact.
- Comply with all applicable laws and regulations for handling
- Dealing only with a well-ventilated place.
- Do not handle until all safety precautions have been read and understood.

B. Conditions for safe storage, including any incompatibilities

- Avoid direct sunlight.
- Check regularly for leaks.
- Do not apply any physical shock to container.
- Do not apply direct heat.
- Do not use damaged containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limits

- o ACGIH TLV
 - [Chlorine] : TWA, 0.5 ppm (1.5 mg/m³) STEL, 1 ppm (2.9 mg/m³)
- o OSHA PEL
 - [Chlorine] : (C) 3

B. Engineering controls

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume.

C. Individual protection measures, such as personal protective equipment

- o Respiratory protection
 - Consider warning properties before use.
 - Respiratory protection is ranked in order from minimum to maximum.
- o Eye protection
 - Provide an emergency eye wash station and quick drench shower in the immediate work area.
 - Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- o Hand protection
 - Wear appropriate chemical resistant glove.
- o Skin protection
 - Wear appropriate chemical resistant protective clothing.
- o Others
 - Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

A. Appearance	Cl₂
- Appearance	gas
- Color	yellow ~ green
B. Odor	Pungent odor
C. Odor threshold	0.31 ppm
D. pH	Not available
E. Melting point/Freezing point	-101 °C
F. Initial Boiling Point/Boiling Ranges	-34 °C
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	-/-
K. Vapour pressure	5830 mmHg (25 °C)
L. Solubility	0.63 g/100ml (25 °C)
M. Vapour density	2.5 (Air=1)
N. Specific gravity	0.0029
O. Partition coefficient of n-octanol/water	Not available
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	14000 cP (20 °C)

S. Molecular weight	70.905
---------------------	--------

10. STABILITY AND REACTIVITY

A. Chemical Stability

- high-pressure gas; May explode when heated.

B. Possibility of hazardous reactions

- Contact with other combustible material may cause fire.

C. Conditions to avoid

- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces
- Avoid contact with incompatible materials and condition.
- Avoid contact with heat, sparks, flame or other ignition sources.
- Keep away from heat source.

D. Incompatible materials

- Not available

E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

11. TOXICOLOGICAL INFORMATION

A. Information on the likely routes of exposure

- **Respiratory tracts**
 - Not available
- **Oral**
 - Not available
- **Eye/Skin**
 - Causes serious eye damage
 - Causes severe skin burns and eye damage

B. Delayed and immediate effects and also chronic effects from short and long term exposure

- **Acute toxicity**
 - * **Oral**
 - [Chlorine] : LD50 1100 mg/kg Rat (Read-across CAS No. 7681-58-9, OECD TG 401)
 - * **Dermal**
 - [Chlorine] : LD50 > 20000 mg/kg Rat (Read-across CAS No. 7681-52-9, OECD TG 402)
 - * **Inhalation**
 - [Chlorine] : Gas LC50 700 ppm 1321 mg/m³ 1 hr Rat (OECD TG 403, GLP)
- **Skin corrosion/irritation**
 - Causes severe skin burns and eye damage
- **Serious eye damage/irritation**
 - Causes serious eye damage
- **Respiratory sensitization**
 - Not available
- **Skin sensitization**
 - Not available
- **Carcinogenicity**
 - * **IARC**
 - Not available
 - * **OSHA**
 - Not available
 - * **ACGIH**
 - [Chlorine] : A4
 - * **NTP**
 - Not available
 - * **EU CLP**
 - Not available

- **Germ cell mutagenicity**
 - Not available
- **Reproductive toxicity**
 - Not available
- **STOT-single exposure**
 - Causes damage to organs(Refer Section SDS 11)
- **STOT-repeated exposure**
 - May cause damage to organs through prolonged or repeated exposure (Refer Section SDS 11)
- **Aspiration hazard**
 - Not available

12. ECOLOGICAL INFORMATION

A. Ecotoxicity

- **Fish**
 - [Chlorine] : LC50 0.064 ~ 0.082 mg/ℓ 96 hr Oncorhynchus mykiss (Read-across : CAS No. 7778-54-3) (ECHA)
- **Crustaceans**
 - [Chlorine] : EC50 0.035 mg/ℓ 48 hr Ceriodaphnia dubia (Read-across : CAS No. 7681-52-9, OECD TG 202, GLP) (ECHA)
- **Algae**
 - [Chlorine] : ErC50 0.1 ~ 0.4 mg/ℓ 96 hr (Myriophyllum spicatum, flow-through) (ECHA)

B. Persistence and degradability

- **Persistence**
 - [Chlorine] : log Kow 1.03 (estimate) (EPI Suite)
- **Degradability**
 - Not available

C. Bioaccumulative potential

- **Bioaccumulative potential**
 - Not available
- **Biodegradation**
 - Not available

D. Mobility in soil

- Not available

E. Other adverse effects

- [Chlorine] : Fish(Menidia peninsulace); NOEC(28d) 0.04 mg CPO/ℓ, (flow- through, Read-across : CAS No. 7681-52-9), Crustaceans(Crassostrea virginica); 15d-NOEC 7 µg TRO/ℓ, (flow- through, Read-across : CAS No. 7681-52-9), Algae(Myriophyllum spicatum); 96hr-NOEC(lenth) 0.02 mg/ℓ, (flow- through) (ECHA)

13. DISPOSAL CONSIDERATIONS

A. Disposal methods

- It shall be treated by incineration
- Oil water separation technology shall be applied as pre-waste treatment if it is applicable
- Stabilization and minimization treatment by incineration or similar method can be applied, if more than two kinds of designated wastes are in mixture state and it is impractical to separate them

B. Special precautions for disposal

- Anyone with business license number who generates industrial wastes shall treat the waste by him/herself or by entrusting to the legal entities who treat the wastes, recycle the wastes of others or install and operate the waste treatment facilities according to the Wastes Control Act
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

A. UN No. (IMDG)

- Not applicable

B. Proper shipping name

- Not applicable

C. Hazard Class

- Not applicable

D. IMDG CODE/IATA DGR Packing group

- Not applicable

E. Marine pollutant

- Applicable

F. Special precautions for user related to transport or transportation measures

- Air transport(IATA): Not subject to IATA regulations.
- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : Not available
- EmS SPILLAGE SCHEDULE : Not available

15. REGULATORY INFORMATION**A. National and/or international regulatory information**

- **POPs Management Law**
 - [Chlorine] : Not applicable
- **Information of EU Classification**
 - * **Classification**
 - [Chlorine] : H270,H315,H319,H331,H335,H400
- **U.S. Federal regulations**
 - * **OSHA PROCESS SAFETY (29CFR1910.119)**
 - [Chlorine] : 680.3985 kg 1500 lb
 - * **CERCLA Section 103 (40CFR302.4)**
 - [Chlorine] : 4.53599 kg 10 lb
 - * **EPCRA Section 302 (40CFR355.30)**
 - [Chlorine] : 45.3599 kg 100 lb
 - * **EPCRA Section 304 (40CFR355.40)**
 - [Chlorine] : 4.53599 kg 10 lb
 - * **EPCRA Section 313 (40CFR372.65)**
 - [Chlorine] : Applicable
- **Rotterdam Convention listed ingredients**
 - Not applicable
- **Stockholm Convention listed ingredients**
 - Not applicable
- **Montreal Protocol listed ingredients**
 - Not applicable

16. OTHER INFORMATION**A. Reference**

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

B. Issue date

- 2022-08-30

C. Revision number and Last date revised

- 3 times, 2020-01-16

D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).