

## SAFETY DATA SHEET

### Helium 70 cmol/mol and 2 others mix / Neon

Date of issue: 2020-05-15

Revision date: 2020-01-16

Version: 3.0

#### 1. IDENTIFICATION

##### A. Product name

- Helium 70 cmol/mol and 2 others mix / Neon

##### B. Recommended use and restriction on use

- General use : Not available  
- Restriction on use : Not available

##### C. Manufacturer / Supplier / Distributor information

###### o Manufacturer information

- Company name : RIGAS Co.,Ltd  
- Address : 46,Munpyeongseo-ro 17 beon-gil, Daedeok-gu,Daejeon, KOREA  
- Dept. : Management Planning Dept.  
- Telephone number : 82-42-934-6900  
- Emergency telephone number : 82-42-934-6900  
- Fax number : 82-42-935-8814  
- E-mail address : master@rigas.co.kr

###### o Supplier/Distributor information

- Company name : RIGAS Co.,Ltd  
- Address : 46,Munpyeongseo-ro 17 beon-gil, Daedeok-gu,Daejeon, KOREA  
- Dept. : Management Planning Dept.  
- Telephone number : 82-42-934-6900  
- Emergency telephone number : 82-42-934-6900  
- Fax number : 82-42-935-8814  
- E-mail address : master@rigas.co.kr

#### 2. HAZARD IDENTIFICATION

##### A. GHS Classification

- Gases under pressure : Compressed gas

##### B. GHS label elements

###### o Hazard symbols



###### o Signal words

- Warning

###### o Hazard statements

- H280 Compressed gas ; Contains gas under pressure; may explode if heated

###### o Precautionary statements

###### 1) Prevention

- Not applicable

###### 2) Response

- Not applicable

**3) Storage**

- P410+P403 Protect from sunlight. Store in a well-ventilated place.

**4) Disposal**

- Not applicable

**C. Other hazards which do not result in classification**

- Not available

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
Helium	Helium, refrigerated liquid (cryogenic) liquid ; Helium Gas ; Helium, compressed ; Atomic helium ; o-Helium ; p-Helium ;	7440-59-7	70
Argon	Argon, refrigerated liquid ; Argon, Welding Quality ; Argon, compressed	7440-37-1	11.5
Neon	-	7440-01-9	Balance
Fluorine	Fluorine, gas ; Difluorine ; Diatomic fluorine	7782-41-4	0.26

**4. FIRST AID MEASURES****A. Eye contact**

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.

**B. Skin contact**

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.

**C. Inhalation contact**

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.

**D. Ingestion contact**

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.

**E. Delayed and immediate effects and also chronic effects from short and long term exposure**

- Not available

**F. Notes to physician**

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

**5. FIREFIGHTING MEASURES****A. Suitable (Unsuitable) extinguishing media**

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

**B. Specific hazards arising from the chemical**

- high-pressure gas; May explode when heated.

**C. Special protective actions for firefighters**

- Move containers from fire area, if you can do without the risk.
- Avoid inhalation of materials or combustion by-products.
- Do not approach the tank surrounded by fire until it is extinguished.
- Use appropriate extinguishing measure suitable for surrounding fire.

- Wear appropriate protective equipment.
- Keep containers cool with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

### A. Personal precautions, protective equipment and emergency procedures

- Ventilate closed spaces before entering.
- Must work against the wind, let the upwind people to evacuate.
- Move container to safe area from the leak area.
- Handle the damaged containers or spilled material after wearing appropriate protective equipment

### B. Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

### C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notify the central and local government if the emission reach the standard threshold.
- Disposal of waste shall be in compliance with the Wastes Control?Act
- Appropriate container for disposal of spilled material collected.

## 7. HANDLING AND STORAGE

### A. Precautions for safe handling

- Since emptied containers retain product residue(vapor, liquid, solid) follow all MSDS and label warnings even after container is emptied.
- Get the manual before use.
- Dealing only with a well-ventilated place.
- Do not handle until all safety precautions have been read and understood.

### B. Conditions for safe storage, including any incompatibilities

- Save in cool, dry and well ventilated place.
- Do not apply any physical shock to container.
- Avoid direct sunlight.
- Keep sealed when not in use.
- No open fire.
- Store in well ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### A. Exposure limits

- **ACGIH TLV**
  - [Helium] : Asphyxia
  - [Argon] : Asphyxia
  - [Neon] : Asphyxia
  - [Fluorine] : TWA, 1 ppm (1.6 mg/m<sup>3</sup>) STEL, 2 ppm (3.1 mg/m<sup>3</sup>)
- **OSHA PEL**
  - [Fluorine]:0.1ppm 0.2mg/m<sup>3</sup>

### B. Engineering controls

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume.

### C. Individual protection measures, such as personal protective equipment

- **Respiratory protection**
  - Respiratory protection is ranked in order from minimum to maximum.
  - Consider warning properties before use.
- **Eye protection**
  - Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
  - Provide an emergency eye wash station and quick drench shower in the immediate work area.

- **Hand protection**
  - Wear appropriate chemical resistant glove.
- **Skin protection**
  - Wear appropriate chemical resistant protective clothing.
- **Others**
  - Not available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

A. Appearance	<b>He</b>
- Appearance	Gas
- Color	Colorless
B. Odor	Odorless
C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	-272.2 °C
F. Initial Boiling Point/Boiling Ranges	-268.9 °C
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	1719 mm Hg (-268 °C)
L. Solubility	2.5 mg / l (21 °C)
M. Vapour density	0.14 ((Air = 1))
N. Specific gravity	0.1785 (gas)
O. Partition coefficient of n-octanol/water	0.28
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	0.02012 cP (26.8 °C)
S. Molecular weight	4.003

A. Appearance	<b>Ar</b>
- Appearance	Gas
- Color	Colorless
B. Odor	Odorless
C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	-189.2 °C
F. Initial Boiling Point/Boiling Ranges	-185.9 °C
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	- / -
K. Vapour pressure	88200000 mmHg (25 °C)
L. Solubility	(3.4 ml/100 ml at 20°C)
M. Vapour density	1.66
N. Specific gravity	1.40 (186 °C)
O. Partition coefficient of n-octanol/water	0.94
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	0.283 cP (189 °C)
S. Molecular weight	39.95

A. Appearance	<b>F2</b>
- Appearance	Gas
- Color	Not available
B. Odor	Pungent odor

C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	-219 °C
F. Initial Boiling Point/Boiling Ranges	-188 °C
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	202000000 mmHg (25 °C (estimated))
L. Solubility	0.000169 g/100mℓ (25 °C)
M. Vapour density	1.3
N. Specific gravity	Not available
O. Partition coefficient of n-octanol/water	0.22 (estimated)
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	38

A. Appearance	<b>Ne</b>
- Appearance	Gas
- Color	colorless
B. Odor	odorless
C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	-249 °C
F. Initial Boiling Point/Boiling Ranges	-246 °C
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	760 mmHg @ -246 C
L. Solubility	slightly soluble
M. Vapour density	0.6964
N. Specific gravity	Not available
O. Partition coefficient of n-octanol/water	Not available
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	0.03181 cP @ 26.8 C
S. Molecular weight	20.179

## 10. STABILITY AND REACTIVITY

### A. Chemical Stability

- high-pressure gas; May explode when heated.

### B. Possibility of hazardous reactions

- Contact with other combustible material may cause fire.

### C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces
- Avoid contact with heat, sparks, flame or other ignition sources.

### D. Incompatible materials

- Not available

### E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

## 11. TOXICOLOGICAL INFORMATION

### A. Information on the likely routes of exposure

- **(Respiratory tracts)**
  - Not available
- **(Oral)**
  - Not available
- **(Eye-Skin)**
  - Not available

### B. Delayed and immediate effects and also chronic effects from short and long term exposure

- **Acute toxicity**
  - \* **Oral**
    - Not available
  - \* **Dermal**
    - Not available
  - \* **Inhalation**
    - Product (ATEmix) : Not available
    - [Fluorine] : Gas LC50 92.5 ppm 4 hr Rat
- **Skin corrosion/irritation**
  - Not available
- **Serious eye damage/irritation**
  - Not available
- **Respiratory sensitization**
  - Not available
- **Skin sensitization**
  - Not available
- **Carcinogenicity**
  - \* **IARC**
    - Not available
  - \* **OSHA**
    - Not available
  - \* **ACGIH**
    - Not available
  - \* **NTP**
    - Not available
  - \* **EU CLP**
    - Not available
- **Germ cell mutagenicity**
  - Not available
- **Reproductive toxicity**
  - Not available
- **STOT-single exposure**
  - Not available
- **STOT-repeated exposure**
  - Not available
- **Aspiration hazard**
  - Not available

## 12. ECOLOGICAL INFORMATION

### A. Ecotoxicity

- **Fish**
  - [Helium] : LC50 12.245 mg/ℓ 96 hr (Estimate)
  - [Argon] : LC50 452.788 mg/ℓ 96 hr (Estimate)
  - [Neon] : LC50 619.044 mg/ℓ 96 hr (Estimate)
  - [Fluorine] : LC50 60 mg/ℓ 96 hr (HSDB)
- **Crustaceans**

- [Helium] : LC50 116.827 mg/ℓ 48 hr (Estimate)
- [Argon] : LC50 444.792 mg/ℓ 48 hr (Estimate)
- [Neon] : LC50 589.008 mg/ℓ 48 hr (Estimate)

- **Algae**

- [Helium] : EC50 66.152 mg/ℓ 96 hr (Estimate)
- [Argon] : EC50 258.580 mg/ℓ 96 hr (Estimate)
- [Neon] : LC50 333.519 mg/ℓ 96 hr (Estimate)

## **B. Persistence and degradability**

- **Persistence**

- [Helium] : log Kow 0.28 (Estimate)
- [Argon] : log Kow 0.94 (ICSC)

- **Degradability**

- Not available

## **C. Bioaccumulative potential**

- **Bioaccumulative potential**

- [Helium] : BCF 3.162 (Estimate)

- **Biodegradation**

- Not available

## **D. Mobility in soil**

- Not available

## **E. Other adverse effects**

- Not available

## **13. DISPOSAL CONSIDERATIONS**

### **A. Disposal methods**

- Stabilization and minimization treatment by incineration or similar method can be applied, if more than two kinds of designated wastes are in mixture state and it is impractical to separate them
- Oil water separation technology shall be applied as pre-waste treatment if it is applicable
- It shall be treated by incineration

### **B. Special precautions for disposal**

- Anyone with business license number who generates industrial wastes shall treat the waste by him/herself or by entrusting to the legal entities who treat the wastes, recycle the wastes of others or install and operate the waste treatment facilities according to the Wastes Control Act
- Dispose of waste in accordance with all applicable laws and regulations.

## **14. TRANSPORT INFORMATION**

### **A. UN No. (IMDG)**

- 1956

### **B. Proper shipping name**

- COMPRESSED GAS, N.O.S.

### **C. Hazard Class**

- 2.2

### **D. IMDG CODE/IATA DGR Packing group**

- Not applicable

### **E. Marine pollutant**

- Not applicable

### **F. Special precautions for user related to transport or transportation measures**

- Local transport follows in accordance with Dangerous goods Safety Management Law.

- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-C (Non-flammable gases)
- EmS SPILLAGE SCHEDULE : S-V (Gases (non-flammable, non-toxic))

## 15. REGULATORY INFORMATION

### A. National and/or international regulatory information

- **POPs Management Law**
  - [Neon] : Not applicable
  - [Argon] : Not applicable
  - [Helium] : Not applicable
  - [Fluorine] : Not applicable
- **Information of EU Classification**
  - \* **Classification**
    - [Fluorine] : H270, H330, H314
- **U.S. Federal regulations**
  - \* **OSHA PROCESS SAFETY (29CFR1910.119)**
    - [Fluorine] : 453.599 kg 1000 lb
  - \* **CERCLA Section 103 (40CFR302.4)**
    - [Fluorine] : 4.53599 kg 10 lb
  - \* **EPCRA Section 302 (40CFR355.30)**
    - [Fluorine] : 226.7995 kg 500 lb
  - \* **EPCRA Section 304 (40CFR355.40)**
    - [Fluorine] : 4.53599 kg 10 lb
  - \* **EPCRA Section 313 (40CFR372.65)**
    - [Fluorine] : Applicable
- **Rotterdam Convention listed ingredients**
  - Not applicable
- **Stockholm Convention listed ingredients**
  - Not applicable
- **Montreal Protocol listed ingredients**
  - Not applicable

## 16. OTHER INFORMATION

### A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

### B. Issue date

- 2020-05-08

### C. Revision number and Last date revised

- 3 times, 2020-01-16

### D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).